



MMA

SWP



Delivers ...

Quality ✓

Value ✓

Service ✓

Head Office Sales
Tel: **01420 588180**
Fax: **01420 588184**
Email: **sales@swp.uk.net**

Northern Depot Sales
Tel: **01942 719930**
Fax: **01942 729937**
Email: **airsales@swp.uk.net**

www.specialisedwelding.co.uk

Contents

Accessories	Electrode Holders, Earth Clamps	268
	Cable Connectors, Panel Sockets, Adaptor, Ferrules, Genuine Myking Products	269
	Lugs, Chipping Hammers, Wire Brushes, Fillet Gauges	270
	Quivers and Ovens, Air Arc Torches, Carbons, Safetube Containers	271
	SWP Cutting and Grinding Discs	272
	SWP Flap, Fibre Discs and Sanding Belts	273
	3M Abrasives	274-275
	Cable and Cable Sets	276

Accessories

TWIST-TYPE ELECTRODE HOLDERS BS EN 60974-11



Part No. **1018**
LC Twist Type 400amp
Yellow Handle
Quantity: 10-40



Part No. **1019**
LC Twist Type 600amp
Yellow Handle
Quantity: 10-40



Part No. **1020**
Twist Type PG 400amp
Red Handle
Econ 405 equivalent
Quantity: 10-40



Part No. **1021**
Twist Type PG 600amp
Red Handle
Econ 406 equivalent
Quantity: 10-40

CROCODILE ELECTRODE HOLDERS BS EN 60974-11

Part No. **1023**
Crocodile Holder 200amp
Quantity: 1-25




Part No. **1024**
Crocodile Holder 400amp
Quantity: 1-25

Part No. **1025**
Optimum 300amp
Quantity: 1-25



Part No. **1026**
Optimum 450amp
Quantity: 1-25

Part No. **1030**
Handicool Type 400amp
Quantity: 1-30



Part No. **1031**
Handicool Type 600amp
Quantity: 1-30

EARTH CLAMPS



Part No. **1081**
Earth Clamp Screw - 600amp
Quantity: 1-20



Part No. **1083**
Earth Clamp Croc - 200amp
Quantity: 1-50



Part No. **1077**
Nevada Type Earth Clamp Croc - 250amp
Quantity: 1-50



Part No. **1082**
Earth Clamp Myking Type - 600amp
Quantity: 1-15



Part No. **1084**
Earth Clamp Croc - 400amp
Quantity: 1-50



Part No. **1078**
Nevada Type Earth Clamp Croc - 350amp
Quantity: 1-50



Part No. **1085**
Earth Clamp Screw - 600amp
Quantity: 1-20



Part No. **1086**
Earth Clamp Screw CC11 - 600amp
Quantity: 1-20



Part No. **1079**
Nevada Type Earth Clamp Croc - 500amp
Quantity: 1-50

CABLE CONNECTORS BS EN 60974-12

Part No. 1052

CC17 Cable Connector (male)
for 35-70mm cable
Quantity: 1-60



Part No. 1053

CC18 Cable Connector (female)
for 35-70mm cable
Quantity: 1-60



Part No. 1054

BB Cable Connector (male) Wescol
for 35-70mm cable
Quantity: 1-60



Part No. 1055

BB Cable Connector (female) Wescol
for 35-70mm cable
Quantity: 1-60



DINSE TYPE PANEL SOCKETS BS EN 60974-12

Part No. 1064

10-25 Dinse Type Panel Socket
Quantity: 1-100



Part No. 1065

35-50 Dinse Type Panel Socket
Quantity: 1-60



Part No. 1066

70-95 Dinse Type Panel Socket
Quantity: 1-60



Part No. 1067

Panel Plug for 35-50, 50-70 & 70-95
Quantity: 1-60



DINSE TYPE PLUGS BS EN 60974-12

Part No. 1056

10-25 Dinse Type Plug
Quantity: 10-200



Part No. 1057

35-50 Dinse Type Plug
Quantity: 40-160



Part No. 1058

50-70 Dinse Type Plug
Quantity: 30-120



Part No. 1059

70-95 Dinse Type Plug
Quantity: 30-120



DINSE TYPE SOCKETS BS EN 60974-12

Part No. 1060

10-25 Dinse Type Socket
Quantity: 10-200



Part No. 1061

35-50 Dinse Type Socket
Quantity: 40-160



Part No. 1062

50-70 Dinse Type Socket
Quantity: 30-120



Part No. 1063

70-95 Dinse Type Socket
Quantity: 30-120



ADAPTOR

Part No. 1068

Converts 10-25 sockets to
35-50 sockets
Quantity: 1-10



FERRULES

Part No. 1070

Brass Ferrules
Quantity: 10-500



GENUINE MYKING PRODUCTS These are original Myking and not to be confused with 'Myking Type'

MYKING ELECTRODE HOLDERS BS EN 60974-11

The double screw body on these products makes them almost impossible to break. They are extremely well insulated.



MYKING EARTH CLAMPS

Part No. 1080



PART NO.	DESCRIPTION	QTY.
1027	Myking 200amp Electrode Holder – Two position 45/90°	1-50
1028	Myking 450amp Electrode Holder – Two position 45/90°	1-25
1029	Myking 600amp Electrode Holder – Two Position 45/90°	1-25

Myking G-600amp
Earth Clamp
• Brass body with two screws
• Well insulated
• Max cable size 120mm
Quantity: 1-15

Accessories

RE-USABLE CABLE LUGS

Part No. **1036**
25mm Lug (200amp)
To fit 10mm stud – Quantity: 10

Part No. **1037**
35mm Lug (300amp)
To fit 13mm stud – Quantity: 10

Part No. **1038**
50mm Lug (400amp)
To fit 13mm stud – Quantity: 10



EASY FIT CABLE LUGS

Part No. **1040**
35mm Lug (300amp)
Accepts 14mm cable
To fit 15mm stud – Quantity: 10

Part No. **1041**
50mm Lug (400amp)
Accepts 16mm cable
To fit 15mm stud – Quantity: 10



HAMMER ON CABLE LUGS

Part No. **1042**
70mm Lug (660amp)
Accepts 11mm cable
To fit 13mm stud – Quantity: 10

Part No. **1043**
95mm Lug
Accepts 16mm cable
To fit 15mm stud – Quantity: 10



CHIPPING HAMMERS




Part No. **1073**
Spring Handle Chipping Hammer
Quantity: 10-50



Part No. **1074**
Tubular Handle Chipping Hammer
Quantity: 5-50



Part No. **1075**
Rockwell Type Chipping Hammer
Quantity: 5-50



Part No. **1076**
Wooden Handle Chipping Hammer
Quantity: 5-50

WIRE BRUSHES



PART NO.	DESCRIPTION	QTY.
1087	2 Row Mild Steel Wire Brush	12-120
1088	3 Row Mild Steel Wire Brush	12-120
1089	4 Row Mild Steel Wire Brush	12-120
1093	4 Row Wire Mild Steel Brush with Scraper (inset above)	12-120

1090	2 Row Stainless Steel Wire Brush	12-20
1091	3 Row Stainless Steel Wire Brush	12-120
1092	4 Row Stainless Steel Wire Brush	12-120

SCRATCH BRUSHES



PART NO.	DESCRIPTION	QTY.
1071	Red – Mild Steel Scratch Brush	10
1072	Green – Stainless Steel Scratch Brush	10

FILLET GAUGES



Part No. **1045**
Cam Type Welding Gauge Set
Quantity: 5-50



Part No. **1046**
Fillet Type Welding Gauge Set
Quantity: 5-50



Part No. **1047**
Pocket Welding Gauge Set
Quantity: 5-50

QUIVERS & OVENS

Part No. 1122

300°C Portable Oven 110/240 volt
Internal Dimensions:
L-150 x W-150 x H-460mm

- Designed to operate in rugged site conditions
- Thermostatically controlled temperature range of 100-300°C
- Capacity: 22.7kgs

Quantity: 1-4



Part No. 1141

Dual Voltage Quiver

Overall Dimensions:
L-500 x W-120 x D-110mm

- Designed for use on installations with a 110 or 240v supply – ideal for site work
- Will maintain an even temperature of 100°C
- Capacity: 5kgs

Quantity: 1



Part No. 1126 - 110 Volt

Part No. 1126 - 240 Volt
500°C Oven

Internal Dimensions:
D-500 x W-430 x H-400 mm

- Robustly constructed
- Digital temperature control over a range of 0-500°C
- Capacity: 200kgs
- Digital display
- Weight: 81.5 kgs

Quantity: 1

Part No. 1120 - 110 Volt

Part No. 1120 - 240 Volt
300°C Oven

Internal Dimensions:
D-500 x W-430 x H-400 mm

- Robustly constructed
- Digital temperature control over a range of 100-300°C
- Capacity: 200kgs
- Digital display
- Weight: 65.8 kgs

Quantity: 1

CARBONS



PART NO.	DESCRIPTION	QTY.
1133	5mm x 305mm Gouging Carbons (5/32 x 12)	100
1134	6.4mm x 305mm Gouging Carbons (1/4 x 12)	100
1135	8mm x 305mm Gouging Carbons (5/16 x 12)	100
1136	10mm x 305mm Gouging Carbons (3/8 x 12)	100
1137	13mm x 305mm Gouging Carbons (1/2 x 12)	100
1138	13mm x 430mm Round Jointed Carbons (1/2 x 17)	100
1139	16mm x 430mm Round Jointed Carbons (5/8 x 17)	100
1140	19mm x 430mm Round Jointed Carbons (3/4 x 17)	100

AIR ARC TORCHES

The Arc Air process grooves, gouges and bevels metals by first melting with an electric arc then blowing away the molten metal with a continuous jet of compressed air directed at the point. Arc air gouging electrodes can be used with a suitable power source such as a rectifier or motor generator.

Part No. 1127

K3 Torch 600amp (straight head)

Complete with 6ft monocable

Quantity: 1-5

Part No. 1128

K5 Torch 1200amp (straight head)

Complete with 6ft monocable

Quantity: 1-5



Part No. 1129

K4000 Torch 1000amp (angled head)

Complete with 6ft monocable

Quantity: 1-5

Part No. 1130

K3000 Torch 600amp (angled head)

Complete with 6ft monocable

Quantity: 1-5

SAFETUBE® INDUSTRIAL STORAGE CONTAINERS

The Safetube® Industrial Storage Container is ideal for carrying Welding Electrodes. It features a quarter turn cap for easy removal and a pressure-fitted o-ring to keep out dirt and moisture. Highly visible and with an optional adjustable carrying strap, it is also suited to a wide variety of other uses.

Part No. 1119

- Holds up to 4.5kg of 350mm welding electrodes

Quantity: 12

Part No. 1125

- Holds up to 6.8kg of 450mm welding electrodes

Quantity: 12

To purchase optional Carrying Strap order Part No. STRAP



Cutting Discs



FLAT CUTTING DISCS EN 12413		
PART NO.	DESCRIPTION	QTY.
1633	100 x 2.5 x 16mm	100
1634	115 x 2.5 x 22mm	100
1635	125 x 2.5 x 22mm	100
1637	230 x 3.0 x 22mm	100
1638	300 x 3.5 x 20mm	10
1639	350 x 3.0 x 25mm	10



DEPRESSED CENTRE CUTTING DISCS EN 12413		
PART NO.	DESCRIPTION	QTY.
1645	100 x 2.5 x 16mm	100
1646	115 x 2.5 x 22mm	100
1647	125 x 2.5 x 22mm	100
1649	230 x 3.0 x 22mm	50



STONE DEPRESSED CENTRE CUTTING DISCS EN 12413		
PART NO.	DESCRIPTION	QTY.
1665	115 x 3.0 x 22mm	100
1666	230 x 3.0 x 22mm	100



FLAT SUPER THIN CUTTING DISCS EN 12413		
PART NO.	DESCRIPTION	QTY.
1660	100 x 1.0 x 16mm	25/500
1661	115 x 1.0 x 22mm	25/500
1662	125 x 1.0 x 22mm	25/500
1663	230 x 2.0 x 22mm	25/500



DEPRESSED CENTRE GRINDING DISCS EN 12413		
PART NO.	DESCRIPTION	QTY.
1678	100 x 6.0 x 16mm	100
1679	115 x 6.0 x 22mm	100
1680	125 x 6.0 x 22mm	100
1643	178 x 6.0 x 22mm	50
1644	230 x 6.0 x 22mm	50

FLAP DISCS CONED – ZIRCONIUM EN 13743

PART NO.	DESCRIPTION	SPEED RATE	QTY.
1614	115 x 22mm 40 Grit	19000	10
1615	115 x 22mm 60 Grit	19000	10
1616	115 x 22mm 80 Grit	19000	10
1617	125 x 22mm 40 Grit	16000	10
1618	125 x 22mm 60 Grit	16000	10
1619	125 x 22mm 80 Grit	16000	10



FIBRE DISCS – ZIRCONIUM EN 13743

PART NO.	DESCRIPTION	SPEED RATE	QTY.
1650	100 x 16mm 36 Grit	80m/s	25
1651	100 x 16mm 60 Grit	80m/s	25
1652	100 x 16mm 80 Grit	80m/s	25
1653	100 x 16mm 120 Grit	80m/s	25
1654	115 x 22mm 36 Grit	80m/s	25
1655	115 x 22mm 60 Grit	80m/s	25
1656	115 x 22mm 80 Grit	80m/s	25
1657	115 x 22mm 120 Grit	80m/s	25
1658	125 x 22mm 36 Grit	80m/s	25
1659	125 x 22mm 60 Grit	80m/s	25
1663F	125 x 22mm 80 Grit	80m/s	25
1664	125 x 22mm 120 Grit	80m/s	25

WHITE BACKING PADS – MEDIUM FLEXIBILITY

PART NO.	ABRASIVE (mm)	PAD (mm)	HEIGHT (mm)	THREAD	GRITS	QTY.
20030	100	90	15	3/8 x 24	60 + Finer	1
20115	115	104	15	M14 x 2	60 + Finer	1
20210	125	116	20	M14 x 2	60 + Finer	1
11113	115	107.5	20	M14 x 2	60 + Finer	1
11114	115	107.5	20	5/8 UNC	60 + Finer	1



SANDING BELTS EN 13743

PART NO.	DESCRIPTION	QTY.
SB10-60	10 x 330mm 60 Grit	10
SB10-80	10 x 330mm 80 Grit	10
SB10-120	10 x 330mm 120 Grit	10
SB10L-60	10 x 600mm 60 Grit	10
SB10L-80	10 x 600mm 80 Grit	10
SB10L-120	10 x 600mm 120 Grit	10
SB20-60	20 x 520mm 60 Grit	10
SB20-80	20 x 520mm 80 Grit	10
SB20-120	20 x 520mm 120 Grit	10



3M™ GREEN CORPS FLEXIBLE GRINDING DISC KITS

PART NO.	DESCRIPTION	SIZE (mm)	GRADE	MOS (RPM)
60105	20 discs plus 2 back-up pads	100 x 3 x 16	P36	15,000
60630	20 discs plus 2 back-up pads	115 x 3 x 22	P36	13,000
60634	20 discs plus 2 back-up pads	125 x 3 x 22	P36	12,000
A60638	20 discs plus 2 back-up pads	180 x 3 x 22	P36	8,000

3M™ FLEXIBLE GRINDING DISC BACK-UP PADS

PART NO.	USE WITH	SIZE (mm)	GRADE	MOS (RPM)
60642	115/125mm disc	86 x 22	—	13,000
60643	180mm disc	117 x 22	—	8,000



3M™ SCOTCH-BRITE™ HAND PADS

PART NO.	SIZE (mm)	GRADE	COLOUR	PROD. na
05303	155 x 225	Very Fine	Maroon	7447+
05305	155 x 225	Fine	L Green	7496
05306	155 x 225	Coarse	D Green	7486

3M™ RADIAL BRISTLE DEBURRING WHEELS


3M™ Scotch-Brite™ Shaft Mounted Bristle Disc BB-ZS



PART NO.	SIZE	TYPE	GRADE	COLOUR	MOS (RPM)
62968	75mm	C	P80	Yellow	10,000

3M™ RADIAL BRISTLE DEBURRING WHEELS

3M™ Scotch-Brite™ Radial Bristle Brush BB-ZB



PART NO.	SIZE	TYPE	GRADE	COLOUR	MOS (RPM)
33215	150mm	C	P80	Yellow	6,000

These are just a small sample of 3M products available from SWP . . .

Head Office Sales: Tel: **01420 588180** Fax: **01420 588184** Email: **sales@swp.uk.net**

Northern Depot Sales: Tel: **01942 719930** Fax: **01942 729937** Email: **airsales@swp.uk.net**




3M™ ROLOC™ 777F

PART NO.	SIZE (mm)	GRADE	MOS (RPM)
76629	50	P36	20,000
76630	50	P50	20,000
76433	50	P60	20,000
14661	50	P80	20,000
170935	50	P120	20,000
76631	75	P36	20,000
76632	75	P50	20,000
76633	75	P60	20,000
76634	75	P80	20,000
249846	75	P120	20,000

3M™ CUBITRON™ II FIBRE DISCS 982C

PART NO.	SIZE (mm)	GRADE	MOS (RPM)	MOQ
27769	100	36+	15,200	100
27771	100	80+	15,200	100
55075	115	36+	13,500	100
27623	115	60+	13,500	100
27627	115	80+	13,500	100
55073	125	36+	12,000	100
27624	125	60+	12,000	100
27628	125	80+	12,000	100
27698	180	36+	8,500	100
27740	180	60+	8,500	100
27741	180	80+	8,500	100



MMA



3M™ SCOTCH-BRITE™ CLEAN & STRIP GP DISCS

PART NO.	SIZE (mm)	GRADE	COLOUR	MOS (RPM)
61164	75 x 13 x 6	XCRS	Blue	10,000
61167	75 x 25 x 6	XCRS	Blue	10,000
61165	100 x 13 x 6	XCRS	Blue	8,000
61168	100 x 25 x 6	XCRS	Blue	8,000
61166	150 x 13 x 6	XCRS	Blue	6,000
61169	150 x 25 x 6	XCRS	Blue	6,000

... Please visit www.specialisedwelding.co.uk for the full range

PVC SINGLE INSULATED CABLE

EN 50525-2-11



PART NO.	DESCRIPTION	COIL
1006	16mm Cable - Black	100 mtr
1007	25mm Cable - Black	100 mtr
1008	35mm Cable - Black	100 mtr
1009	50mm Cable - Black	100 mtr
1010	70mm Cable - Black	50 mtr
1011	95mm Cable - Black	50 mtr
1012	120mm Cable - Black	50 mtr

PVC DOUBLE INSULATED CABLE

EN 50525-2-11



PART NO.	DESCRIPTION	COIL
1000	16mm DI Cable - Orange	100 mtr
1001	25mm DI Cable - Orange	100 mtr
1002	35mm DI Cable - Orange	100 mtr
1003	50mm DI Cable - Orange	100 mtr
1004	70mm DI Cable - Orange	50 mtr
1005	95mm DI Cable - Orange	50 mtr

RUBBER SINGLE INSULATED WELDING CABLE

BS EN 50525-2-81:2011 / H01N2-D



PART NO.	DESCRIPTION	COIL
1013	25mm Cable - Black	100 mtr
1014	35mm Cable - Black	100 mtr
1015	50mm Cable - Black	100 mtr
1016	70mm Cable - Black	50 mtr

RUBBER DOUBLE INSULATED WELDING CABLE

BS EN 50525-2-81:2011 / H01N2-D



PART NO.	DESCRIPTION	COIL
998	50mm DI Cable - Orange	100 mtr
999	70mm DI Cable - Orange	50 mtr

Cable Sets

CROC EARTH CLAMP



PART NO.	DESCRIPTION	COIL
EC52SD	200amp Earth Clamp Croc c/w 10-25 Dinse (25mm Cable)	5 mtr
EC52LD	200amp Earth Clamp Croc c/w 35-50 Dinse (25mm Cable)	5 mtr
EC54LD	400amp Earth Clamp Croc c/w 35-50 Dinse (50mm Cable)	5 mtr

ELECTRODE HOLDER



PART NO.	DESCRIPTION	COIL
EH52SD	200amp Electrode Holder c/w 10-25 Dinse (25mm Cable)	5 mtr
EH52LD	200amp Electrode Holder c/w 35-50 Dinse (25mm Cable)	5 mtr
EH54LD	400amp Electrode Holder c/w 35-50 Dinse (50mm Cable)	5 mtr